


FELCO 600 - Green

Pull-stroke Pruning saw - Folding pull-stroke pruning saw - Blade 16 cm (6.3 in.)

Designed in Switzerland by FELCO, Made in South Korea, Guaranteed FELCO Quality, PATENT NO: US D500,240 S



- > **Reliable:** rust resistant hard-chromed blade made of high-quality steel / impulse heat treatment of the teeth / clean, precise cut / parts can be replaced
- > **Efficient:** conical blade shape that cuts without clogging / the set and shape of the teeth prevents sap build-up / maintenance free
- > **Ergonomic:** comfortable non-slip handle



RECOMMENDED FOR

Our recommendation (★ = Recommended, ★★ = Strongly recommended, ★★★ = Best fit)

Viticulture	★★★
Arboriculture	★★★
Horticulture	★★★
Parks and Gardens	★★★
Nursery	★★★
Small hand	★★★
Average-sized hand	★★★
Large hand	★★★
Left-handed	★★★

THE POINTS OF EXCELLENCE



Pull-stroke

The pull-stroke technique reduces effort and eliminates the risk of the blade pig-tailing.



Anticorrosion

Rust resistant chromed blade made of steel.



Cutting edge durability

Teeth are submitted to the impulse treatment in order to increase the durability of the saw's cutting edge.



Teeth geometry

The teeth geometry is particularly suited for cutting woodland. Improved clearance of metal shavings and a softer bite in order to avoid arm injuries/aches and pains.



Ergonomics

The ergonomic, non-slip handle provides good handling.



Folding saw


The folding saw can be carried in a pocket.









ACCESSORIES



FELCO 980
 Maintenance product
 Spray

SPARE PARTS



FELCO	REF.	Designation	Composition	UCC Barcode
	600/3	Blade	1x 600/3	 7 83929 40064 8
	60/4	Screw	1x 60/4	 7 83929 40224 6
	60/5	Nut	1x 60/5	 7 83929 40225 3
	600/10	Closing catch	1x 600/10	 7 83929 40226 0

PARTS REPLACEMENT



Changing the blade

If the tool is no longer cutting properly, it is advisable to change it.